## SEQUENCE LISTING

<110> Petersdorf, Effie W. Guo, Zhen Hansen, John A. Hood, Leroy Fred Hutchinson Cancer Research Center University of Washington <120> Oligonucleotide Arrays for High Resolution HLA Typing <130> 14538A-005210US <140> US 10/018,112 <141> Not yet assigned <150> US 60/139,843 <151> 1999-06-17 <150> WO PCT/US00/16722 <151> 2000-06-16 <160> 141 <170> FastSEQ for Windows Version 3.0 <210> 1 <211> 20 <212> DNA <213> Artificial Sequence <223> HLA-B PCR probe A1, exon 2, location 5-24 <400> 1 20 tcacaccctc cagagcatgt <210> 2 <211> 20 <212> DNA <213> Artificial Sequence <220> <223> HLA-B PCR probe A2, exon 2, location 5-24 <400> 2 20 tcacatcatc cagaggatgt <210> 3 <211> 20 <212> DNA <213> Artificial Sequence <223> HLA-B PCR probe A3, exon 2, location 5-24 <400> 3 20 tcacacttgg cagacgatgt,

<21	> 4	
	> 20	
<212	> DNA	
<213	> Artificial Sequence	
<220		
<223	> HLA-B PCR probe A4, exon 2, location 5-24	
<400		
tcacaccct	cagtggatgt 20	0
<210	> 5	
<21	.> 20	
	> DNA	
<213	> Artificial Sequence	
<220		
<223	> HLA-B PCR probe A5, exon 2, location 5-24	
	,	
<400		_
tcacacttg	g cagaggatgt 20	0
<210	D> 6	
<21	.> 20	
<212	> DNA	
<213	s> Artificial Sequence	
<220		
<22	> HLA-B PCR probe A6, exon 2, location 5-24	
	0> 6	_
tcacaccct	c cagacgatgt 20	0
	)> 7	
<21	.> 20	
	> DNA	
<21	3> Artificial Sequence	
<22		
<22	3> HLA-B PCR probe A7, exon 2, location 5-24	
	`	
<40	)> 7	_
tcacaccct	c cagaatatgt 20	U
	)> 8	
<21	L> 20	
<21:	L> 20 2> DNA	
<21:	L> 20	
<21: <21: <21:	l> 20 2> DNA 3> Artificial Sequence	
<21: <21: <21:	L> 20 R> DNA B> Artificial Sequence	
<21: <21: <21:	l> 20 2> DNA 3> Artificial Sequence	
<21: <21: <21: <22: <22:	2> 20 2> DNA 3> Artificial Sequence 3> 3> HLA-B PCR probe A8, exon 2, location 5-24	
<21: <21: <21: <22: <40:	2> 20 2> DNA 3> Artificial Sequence 3> 3> HLA-B PCR probe A8, exon 2, location 5-24 3> 8	•
<21: <21: <21: <22: <40:	2> 20 2> DNA 3> Artificial Sequence 3> 3> HLA-B PCR probe A8, exon 2, location 5-24	0
<21: <21: <21: <22: <22: <40: tcacatcate	2> 20 2> DNA 3> Artificial Sequence 3> 3> HLA-B PCR probe A8, exon 2, location 5-24 3> 8 3> c cagagcatgt	0
<21: <21: <21: <22: <22: <40: tcacatcatc <21:	<pre>1&gt; 20 2&gt; DNA 3&gt; Artificial Sequence 0&gt; 3&gt; HLA-B PCR probe A8, exon 2, location 5-24 0&gt; 8 c cagagcatgt 20 20 20 20 20 21 21 22 21 22 22 23 24 25 26 27 28 28 29 20 20 20 21 20 20 20 20 20 20 20 20 20 20 20 20 20</pre>	0
<21: <21: <21: <22: <22: <40: tcacatcatc <21: <21:	2> 20 2> DNA 3> Artificial Sequence 3> 3> HLA-B PCR probe A8, exon 2, location 5-24 3> 8 3> c cagagcatgt	0

	220> 223> HLA-B PCR probe A9, exon 2, location 5-24	
<	:400> 9	
	catc cagaggatgt	20
	2210> 10	
	:211> 20 :212> DNA	
	2213> Artificial Sequence	
	:220>	
<	223> HLA-B PCR probe A10, exon 2, location 5-24	
_	:400> 10	
	catc caggtgatgt	20
	210> 11	
	:211> 20 :212> DNA	
	2213> Artificial Sequence	
	Altiticial bequence	
	:220>	
<	223> HLA-B PCR probe All, exon 2, location 5-24	
	.400. 11	
	<pre>&lt;400&gt; 11 cctc cagaggatgt</pre>	20
ccacacc		
<	<210> 12	
<	211> 20	
	(212> DNA	
<	<pre>&lt;213&gt; Artificial Sequence</pre>	
<	:220>	
<	223> HLA-B PCR probe B1, exon 2, location 21-40	
	(400) 12 (400) 22	20
atgtacg	ggct gcgacgtggg	
<	210> 13	
<	<211> 20	
	<212> DNA	
<	213> Artificial Sequence	
<	<220>	
	223> HLA-B PCR probe B2, exon 2, location 21-40	
	<400> 13	20
atgtatg	gget gegacetggg	20
<	<210> 14	
	<211> 20	
	<212> DNA	
<	<213> Artificial Sequence	
_	<220>	
	<pre>&lt;223&gt; HLA-B PCR probe B3, exon 2, location 21-40</pre>	
	<400> 14	2.0
atgtttg	gget gegaegtggg	20

	<210> 15	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> HLA-B PCR probe B4, exon 2, location 21-40	
	<400> 15	
	atgtaaggct gcgacgtggg	20
	<210> 16	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	-	
	<220>	
	<223> HLA-B PCR probe B5, exon 2, location 21-40	
	<400> 16	
	atgtctggct gcgacgtggg	20
	<210> 17	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	Value Michigan Boqueso	
	<220>	
	<223> HLA-B PCR probe B6, exon 2, location 21-40	
	, , , , , , , , , , , , , , , , , , ,	
	<400> 17	
	atgtacggct gcgacctggg	20
	<210> 18	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> HLA-B PCR probe B7, exon 2, location 21-40	
	,	
	<400> 18	
	atgtttggct gcgacctggg	20
	<210> 19	
•	<211> 20	
	<211> 20 <212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> HLA-B PCR probe B8, exon 2, location 21-40	
	<400> 19	
	atgtatggct gcgacatggg	20
	<210> 20	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	:	

•

<220> <223> HLA-B PCR probe B9, exon 2, location 21-40	
<400> 20	
atgtatggct gcgacgtggg	20
<210> 21 <211> 20 <212> DNA <213> Artificial Sequence	
<220> <223> HLA-B PCR probe C1, exon 2, location 41-60	
<400> 21 gcccgacggg cgcctcctcc	20
<210> 22 <211> 20 <212> DNA <213> Artificial Sequence	
<220> <223> HLA-B PCR probe C2, exon 2, location 41-60	
<400> 22 gcccgacggg cgcttcctcc	20
<210> 23 <211> 20 <212> DNA <213> Artificial Sequence	
<220> <223> HLA-B PCR probe C3, exon 2, location 41-60	
<400> 23 gccggacggg cgcctcctcc	20
<210> 24 <211> 20 <212> DNA <213> Artificial Sequence	
<220> <223> HLA-B PCR probe D1, exon 2, location 61-80	
<400> 24 gegggeatga ceagtaegee	20
<210> 25 <211> 20 <212> DNA <213> Artificial Sequence	
<220> <223> HLA-B PCR probe D2, exon 2, location 61-80	
<400> 25 gcgggcataa ccagtacgcc	20

· ·

	<210> 26	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	·	
	<220>	
	<223> HLA-B PCR probe D3, exon 2, location 61-80	
	<400> 26	
acaaaa	cataa ccagttagcc	20
969996	cacaa ccagccagcc	
	<210> 27	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> HLA-B PCR probe D4, exon 2, location 61-80	
	<400> 27	
acaaat	tataa ccagttcgcc	20
geggg	Lacaa ccagcocgcc	
	<210> 28	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> HLA-B PCR probe D5, exon 2, location 61-80	
	<400> 28	2.0
gcggg	catga ccagtccgcc	20
	.010. 00	
	<210> 29 <211> 20	
	<211> 20 <212> DNA	
	<213> Artificial Sequence	
	22135 Arcifforar Bequence	
	<220>	
	<223> HLA-B PCR probe D6, exon 2, location 61-80	
	<400> 29	
gcgggt	catga ccagtccgcc	20
	<210> 30	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> HLA-B PCR probe D7, exon 2, location 61-80	
	•	
	<400> 30	
gcgggt	cacca ccaggacgcc	20
	<210> 31	
	<211> 20 .	
	<212> DNA	
	ZZIZS OZETETZIZI SHOUHOUZH	

<220> <223> HLA-B PCR probe D8, exon 2, location 61-80	
<400> 31	
gcgggcatga ccagttcgcc	20
<210> 32	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> HLA-B PCR probe D9, exon 2, location 61-80	
<400> 32	
gegggcataa ecagttegee	20
<210> 33	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> HLA-B PCR probe D10, exon 2, location 61-80	
<400> 33	
gcgggtatga ccaggacgcc	20
<210> 34	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> HLA-B PCR probe D11, exon 2, location 61-80	
<400> 34	
gegggtataa ceagttagee	20
<210> 35	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> HLA-B PCR probe D12, exon 2, location 61-80	
<400> 35	20
gegggtatga ceagtaegee	20
<210> 36	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> HLA-B PCR probe E1, exon 2, location 81-100	
<400> 36	20
tacgacggca aagattacat	20

•

	<210> 37	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> HLA-B PCR probe E2, exon 2, location 81-100	
	<400> 37	
tacqaq	ggca aggattacat	20
cacga	3500 45544444	
	<210> 38	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> HLA-B PCR probe F1, exon 2, location 111-130	
	<400> 38	
gaggag	ectga geteetggae	20
545541		
•	<210> 39	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> HLA-B PCR probe F2, exon 2, location 111-130	
	<400> 39	
gaggag	etge geteetggae	20
5~55~		
	<210> 40	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> HLA-B PCR probe G1, exon 2, location 131-150	
	<400> 40	
cacca	ggac acggeggete	20
-55		
	<210> 41	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	220	
	<220> <223> HLA-B PCR probe G2, exon 2, location 131-150	
	(223) HUM-B FCR PIODE G2, EXON 2, TOCACTON 131-130	
	<400> 41	
cgcqa	eggac accgeggete	20
2 23		
	<210> 42	
	<211> 20	
	<212> DNA	
	<pre>&gt;213   Artificial Sequence</pre>	

<220> <223> HLA-B PCR probe G3, exon 2, location 131-150	
<400> 42 cgccgcggac aaggcggctc	20
<210> 43 <211> 20 <212> DNA <213> Artificial Sequence	
<220> <223> HLA-B PCR probe G4, exon 2, location 131-150	
<400> 43 cgccgcggac acggcagctc	20
<210> 44 <211> 20 <212> DNA <213> Artificial Sequence	
<220> <223> HLA-B PCR probe G5, exon 2, location 131-150	
<400> 44 cgccgcggac accgcggctc	20
<210> 45 <211> 20 <212> DNA <213> Artificial Sequence	
<220> <223> HLA-B PCR probe G6, exon 2, location 131-150	
<400> 45 cgcggcggac acggcggctc	20
<210> 46 <211> 20 <212> DNA <213> Artificial Sequence	
<220> <223> HLA-B PCR probe H1, exon 2, location 151-170	
<400> 46 agatcaccca gctcaagtgg	20
<210> 47 <211> 20 <212> DNA <213> Artificial Sequence	
<220> <223> HLA-B PCR probe H2, exon 2, location 151-170	
<400> 47 agatctccca gcgcaagttg	20

•

	<210>	48	
	<211>	20	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>	•	
	<223>	HLA-B PCR probe H3, exon 2, location 151-170	
	<400>		
agatca	ccca g	gcgcaagtgg	20
	<210>	49	
	<211>	20 .	
	<212>		
	<213>	Artificial Sequence	
	<220>		
	<223>	HLA-B PCR probe I1, exon 2, location 171-190	
	<400>		
gaggcg	gccc g	gtgaggcgga	20
	<210>	50	
	<211>	20	
	<212>	DNA ·	
	<213>	Artificial Sequence	
	<220>		
	<223>	HLA-B PCR probe I2, exon 2, location 171-190	
	< 4,00>		
gaggcg	gccc g	gtgtggcgga	20
	<210>	51	
	<211>		
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	HLA-B PCR probe J1, exon 2, location 191-210	
	<400>		
gcagcg	gaga g	gcctacctgg	20
	<210>	52	
	<211>		
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	HLA-B PCR probe J2, exon 2, location 191-210	
		•	
	<400>		
gcagga	caga g	gcctacctgg	20
	<210>		
	<211>		
	<212>		
	-212-	Artificial Sequence	

	<220> <223> HLA-B PCR probe J3, exon 2, location 191-210	
	<400> 53	
gcagtg	gaga gcctacctgg	20
	<210> 54 <211> 20 <212> DNA <213> Artificial Sequence	
	<220> <223> HLA-B PCR probe J4, exon 2, location 191-210	
	<400> 54 gaga acctacctgg	20
	<210> 55 <211> 20 <212> DNA <213> Artificial Sequence	
	<220> <223> HLA-B PCR probe J5, exon 2, location 191-210	
	<400> 55 gaga acctacctgg	20
	<210> 56 <211> 20 <212> DNA <213> Artificial Sequence	
	<220> <223> HLA-B PCR probe J6, exon 2, location 191-210	
	<400> 56 gaga gcctacctgg	20
	<210> 57 <211> 20 <212> DNA <213> Artificial Sequence	
	<220> <223> HLA-B PCR probe K1, exon 2, location 211-230	
	<400> 57 gagtg cgtggagtgg	20
	<210> 58 <211> 20 <212> DNA <213> Artificial Sequence	
	<220> <223> HLA-B PCR probe K2, exon 2, location 211-230	
	<400> 58 stgtg cgtggagtgg	20

	<210>	59	
	<211>	20	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	HLA-B PCR probe K3, exon 2, location 211-230	
	<400>	5.9	
agggcc			20
455500	,0505	-5-55555	
	<210>	60	
	<211>		
	<212>		
	<213>	Artificial Sequence	
	000		
	<220>	Will D. Don works W4	
	<223>	HLA-B PCR probe K4, exon 2, location 211-230	
	<400>		
agggco	tgtg c	egtggagteg	20
	<210>	61	
	<211>	20	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>	•	
	<223>	HLA-B PCR probe K5, exon 2, location 211-230	
	<400>	61	
agggga			20
455500	.0505	-5-5-5-5-5	
	<210>	62	
	<211>		
	<212>		
		Artificial Sequence	
	<213>	Arctificial Sequence	
	<220>		
		WAR BOOK who We over 2 legation 211-220	
	<223>	HLA-B PCR probe K6, exon 2, location 211-230	
	<400>		~ ^
agggco	tgtg c	cgtggaggg	20
	<210>		
	<211>	20	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	HLA-B PCR probe K7, exon 2, location 211-230	
	<400>	63	
aggaco	tgtg c	egtggagtcg	20
	<210>	64	
	<211>		
	<212>		
		Artificial Sequence	
		•	

	<220>	"				
	<223> HLA-B P	CR probe K8,	exon 2,	location	211-230	
	<400> 64					
agggca	cgtg cgtggagt	<b>9</b> 9				20
	.010. 65					
	<210> 65 <211> 20			•		
	<211> 20 <212> DNA					
	<213> Artific	ial Sequence				
	(ZIJ) ALCILIO	rar bequence				
	<220>					
	<223> HLA-B P	CR probe L1,	exon 2,	location	231-250	
		•				
	<400> 65				·	
ctccgc	agac acctggag	aa				20
	<210> 66					
	<211> 20					
	<212> DNA					
	<213> Artific	ial Sequence				
					•	
	<220>	GD		1	221 250	
	<223> HLA-B P	CR probe L2,	exon 2,	location	231-250	
	100 66					
	<400> 66					20
ctccg	agat acctggag	aa				20
	<210> 67					
	<211> 67					
	<211> 20 <212> DNA					
	<213> Artific	ial Sequence				
	VELST THEFILE	rar boquonoc				
	<220>					
	<223> HLA-B P	CR probe M1,	exon 2,	location	257-276	
		•				
	<400> 67					
ggacaa	gctg gagcgcgc	tg			•	20
	<210> 68					
	<211> 20					
	<212> DNA					
	<213> Artific	ial Sequence				
	000					
	<220>	anh- Ma	2	1+	257 276	
	<223> HLA-B P	CR probe M2,	exon 2,	TOCALION	257-276	
	<400> 68					
aaacaa	gctg gagcgcgc	aa				20
ggacac	gety gagegege	99				
	<210> 69					
	<211> 20					
	<212> DNA					
	<213> Artific	ial Sequence				
		<b>-</b>				
	<220>					
	<223> HLA-B P	CR probe M3,	exon 2,	location	257-276	
	<400> 69					
ggagad	gctg cagcgcgc	<b>a</b> a				20

	<210>	70	
	<211>	20	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	HLA-B PCR probe A1, exon 3, location 01-20	
		•	
	<400>		
gctccc	actt c	catgaggtat	20
	<210>		
	<211>		
	<212>		
	<213>	Artificial Sequence	
	<220>	Will D DOD weeks 30 seems 3 legation 01 20	
	<223>	HLA-B PCR probe A2, exon 3, location 01-20,	
		two-step asymmetric PCR HLA-B Exon 2 5' primer	
	<400>		20
gctccc	actc c	catgaggtat	20
	212		
	<210>		
	<211>		
	<212>		
	<213>	Artificial Sequence	
	<220>	•	
		UIA P DCD probe P1 even 3 location 21-40	
	<223>	HLA-B PCR probe B1, exon 3, location 21-40	
	<400>	72	
ttataa			20
LLCLac	acce	ccgtgtcccg	
	<210>	72	
	<211>		
	<212>		
		Artificial Sequence	
	(213)	Altificial bequence	
	<220>		
		HLA-B PCR probe B2, exon 3, location 21-40	
	12237	man b tok proportion of the man and the ma	
	<400>	73	
ttctac		ccatgtcccg	20
		<b>-</b>	
	<210>	74	
	<211>	20	
	<212>	DNA	
		Artificial Sequence	
	<220>		
	<223>	HLA-B PCR probe B3, exon 3, location 21-40	
	<400>	74	
ttcgac	accg c	ccatgtcccg	20
	<210>		
	<211>		
	<212>		
	<213>	Artificial Sequence	

	<220> <223> HLA-B PCR probe B4, exon 3, location 21-40	
	4400× 75	
	<400> 75 acct ccgtgtcccg	20
	<210> 76	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> HLA-B PCR probe B5, exon 3, location 21-40	
	<400> 76	2.0
ttccac	accg ccatgtcccg	20
	<210> 77	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> HLA-B PCR probe B6, exon 3, location 21-40	
	<400> 77	
ttctac	accg ctatgtcccg	20
	<210> 78	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> HLA-B PCR probe B7, exon 3, location 21-40	
	<400> 78	
ttctac	accg ccgtgtcccg	20
	<210> 79 <211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	<220> <223> HLA-B PCR probe C1, exon 3, location 41-60	
	22235 HDA-B FCR PLOBE CI, EXON 3, location 11 00	
	<400> 79	
gcccgt	cege ggggageee	20
	<210> 80	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> HLA-B PCR probe C2, exon 3, location 41-60	
	.40000	
acctao	<400> 80 geege ggggageeee	20
300099	2000 2000	

	<210>	81	
	<211>	20	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	HLA-B PCR probe C3, exon 3, location 41-60	
	<400>	81	
gcccgg	ccgc g	ggggagcccc	20
	<210>	82	
	<211>	20	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	HLA-B PCR probe D1, exon 3, location 61-80	
	<400>	82	
gcttca	tctc a	agtgggctac	20
	<210>	83	
	<211>	20	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	HLA-B PCR probe D2, exon 3, location 61-80	
	<400>	83	
gcttca	tcac o	cgtgggctac	20
	<210>	84	
	<211>	•	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
	<223>	HLA-B PCR probe D3, exon 3, location 61-80	
	<400>	84	
gcttca	ttgc a	agtgggctac	20
	<210>		
	<211>	20	
	<212>		
	<213>	Artificial Sequence	
	<220>		
	<223>	HLA-B PCR probe D4, exon 3, location 61-80	
	<400>		
gcttca	tcgc a	agtgggctac	20
		•	
	<210>		
	<211>		
	<212>		
	~213×	Artificial Sequence	

	<220> <223> HLA-B PCR probe E1, exon 3, location 81-100	
gtggad	<400> 86 egaca eccagttegt	20
	<210> 87 <211> 20 <212> DNA	
	<213> Artificial Sequence	
	.000	
	<220> <223> HLA-B PCR probe E2, exon 3, location 81-100	
	.400. 07	
	<400> 87	20
gtggad	eggea eccagttegt	20
	010	
	<210> 88	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> HLA-B PCR probe E3, exon 3, location 81-100	
	•	
	<400> 88	
ataaa	cgaca cgctgttcgt	20
gegga	egaca egeegeeege	
	<210> 89	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> HLA-B PCR probe E4, exon 3, location 81-100	
	<400> 89	2.0
gtggad	cgaca cgcagttcgt	20
	<210> 90	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	-	
	<220>	
	<223> HLA-B PCR probe F1, exon 3, location 111-130	
	the contract of the contract o	
	<400> 90	
20002	cgcca cgagtccgag	20
agega	egeca egagecegag	
	<210> 91	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> HLA-B PCR probe F2, exon 3, location 111-130	
	<400> 91	
agcga	cgccg cgagtccgag	20

	<210>	92	
	<211>	20	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>		
		HLA-B PCR probe G1, exon 3, location 95-115	
	<400>		
ttcgtg	geggt 1	tcgacagcga	20
	<210>	93	
	<211>		
	<212>		
	<213>	Artificial Sequence	
	<220>		
		HLA-B PCR probe G2, exon 3, location 96-115	
	(2237	THE B TER PLOBE 62, CASE 3, LOCALIST TO 110	
	<400>	93	
ttcgtg	gaggt 1	tcgacagcga	20
	<210>	94	
	<211>	20	
	<212>	DNA	
	<213>	Artificial Sequence	
	222		
	<220>	HLA-B PCR probe H1, exon 3, location 121-140	
	<223>	HEA-B PCR PLODE HI, EXON 3, TOCALION 121 110	
	<400>	94	
cgagt		agaggagccg	20
	<210>	95	
	<211>	20	
	<212>	DNA	
	<213>	Artificial Sequence	
	<220>	HLA-B PCR probe H2, exon 3, location 121-140	
	<223>	HLA-B PCR probe Hz, exon 3, rocation 121 140	
	<400>	95	
cgagt	ccgag	gatggcgccc	20
-			
	<210>	96	
	<211>	20	
	<212>		
	<213>	Artificial Sequence	
	000		
	<220>	HLA-B PCR probe H3, exon 3, location 121-140	
	<223>	HIM-B FCR PIODE II3, exon 3, location 121 110	
	<400>	96	
cgagt	ccgag	gacggagccc	20
	<210>		
	<211>		
	<212>		
	-212	Artificial Sequence	

	<220> <223> HLA-B PCR probe H4, exon 3, location 121-140	
	<400> 97 cgag gaaggagccg	20
3 3		
	<210> 98 <211> 20	
	<212> DNA <213> Artificial Sequence	
	Name :	
	<pre>&lt;220&gt; &lt;223&gt; HLA-B PCR probe II, exon 3, location 141-160</pre>	
	<400> 98	
cgggcg	gccat ggatagagca	20
	<210> 99	
	<211> 20 <212> DNA	
	<212> DNA <213> Artificial Sequence	
	<2139 Altilitial Sequence	
	<220>	
	<223> HLA-B PCR probe I2, exon 3, location 141-160	
	<400> 99	
	gccgt gggtggagca	20
	<210> 100	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> HLA-B PCR probe I3, exon 3, location 141-160	
	<400> 100	
cgggcg	gccgt ggatagagca	20
	<210> 101 <211> 20	
	<211> 20 <212> DNA	
	<213> Artificial Sequence	
	(21) Altificial bequence	
	<220>	
	<223> HLA-B PCR probe J1, exon 3, location 161-180	
	<400> 101	20
ggaggg	ggccg gaatattggg	20
	<210> 102	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> HLA-B PCR probe J2, exon 3, location 161-180	
	<400> 102	
	gccg gagtattggg	20

	<210> 103	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> HLA-B PCR probe J3, exon 3, location 161-180	
	400 100	
	<400> 103	20
ggaggg	gccg gagcattggg	20
	<210> 104	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	•	
	<220>	
	<223> HLA-B PCR probe J4, exon 3, location 161-180	
	<400> 104	
ggaggg	gccg gagtattggg	20
	<210> 105	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	•	
	<220>	
	<223> HLA-B PCR probe K1, exon 3, location 181-200	
	400 105	
	<400> 105	20
accgga	acac acagatetae	20
	<210> 106	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> HLA-B PCR probe K2, exon 3, location 181-200	
	<400> 106	
accgga	acac acagatette	20
	<210> 107	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> HLA-B PCR probe K3, exon 3, location 181-200	
	400: 107	
	<400> 107	20
accggg	gagac acagatetee	
	<210> 108	
	<211> 20	
	<212> DNA	
	<213 Artificial Sequence	

	<220> <223> HLA-B PCR probe K4, exon 3, location 181-200	
	ABBOY IIII 2 CON POOR CO., Common C.,	
	<400> 108	20
accgga	aacac acagatctgc	20
	<210> 109	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> HLA-B PCR probe K5, exon 3, location 181-200	
	, , ,	
	<400> 109	
accgga	aacac acagatctcc	20
-	<210> 110	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	<220> <223> HLA-B PCR probe K6, exon 3, location 181-200	
	22233 HDA-B PCR probe Ro, exon 3, rocacion for 200	
	<400> 110	
accggg	gagac acggaacatg	20
	<210> 111 <211> 20	
	<211> 20 <212> DNA	
	<213> Artificial Sequence	
	·	
	<220>	
	<223> HLA-B PCR probe K7, exon 3, location 181-200	
	<400> 111	
accggg	gatac acagatetec	20
	<210> 112	
	<211> 20	
	<212> DNA <213> Artificial Sequence	
	. <u></u>	
	<220>	
	<223> HLA-B PCR probe K8, exon 3, location 181-200	
	<400> 112	
accgg	gagac acagatetge	20
40055		
	<210> 113	
	<211> 20	
	<212> DNA <213> Artificial Sequence	
	(213) Aftifficial Sequence	
	<220>	
	<223> HLA-B PCR probe K9, exon 3, location 181-200	
	.400- 113	
20000	<pre>&lt;400&gt; 113 ragac acagaagtac</pre>	20
accyg	gagac acagaagtac	- •


<	210> 114	
<	211> 20	
<	212> DNA	
<	213> Artificial Sequence	
	•	
<	220>	
<	223> HLA-B PCR probe K10, exon 3, location 181-200	
-	The state of the s	
_	400> 114	
		20
acgggga	gac acggaacatg	-
	010 115	
	210> 115	
	211> 20	
	212> DNA	
<	213> Artificial Sequence	
	220>	
<	223> HLA-B PCR probe K11, exon 3, location 181-200	
<	400> 115	
		20
~~~ <u>~</u>	540 40454000	
٠.	210> 116	
	211> 20	
	212> DNA	
<	213> Artificial Sequence	
	220>	
<	223> HLA-B PCR probe L1, exon 3, location 201-220	
,		
<.	400> 116	
		20
33		
<	210> 117	
	211> 20	
	212> DNA	
	213> Artificial Sequence	
	2139 Altificial Sequence	
	220>	
<	223> HLA-B PCR probe L2, exon 3, location 201-220	
<	400> 117	
aagacca	aca cacagactta	20
	•	
<	210> 118	
<	211> 20	
<	212> DNA	
	213> Artificial Sequence	
-	2107 11101110101	
٠.	220>	
<	223> HLA-B PCR probe L3, exon 3, location 201-220	
	400> 118	<b>.</b> .
aaggcct	ccg cgcagactta	20
<	210> 119	
<	211> 20	
<	212> DNA	
<	213> Artificial Sequence	

	<220>	
	<223> HLA-B PCR probe L4, exon 3, location 201-220	
	<400> 119	
aaggco	caagg cacagactta	20
	<210> 120	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> HLA-B PCR probe L5, exon 3, location 201-220	
	.400. 120	
aaggco	<400> 120 caagg cacagactga	20
aaggo	,	
	<210> 121	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> HLA-B PCR probe L6, exon 3, location 201-220	
	.400. 121	
aadcad	<400> 121 ccagg cacagactga	20
aagege	ceagg cacagaccga	
	<210> 122	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> HLA-B PCR probe L7, exon 3, location 201-220	
	.400. 122	
22020	<400> 122 caaca cacagactga	20
aayacc	Laaca Cacagaccga	
	<210> 123	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> HLA-B PCR probe M1, exon 3, location 216-235	
	.400 123	
actoac	<pre>&lt;400&gt; 123 ccgag agagcctgcg</pre>	20
accya		
	<210> 124	
	<211> 20	
	<212> DNA <213> Artificial Sequence	
	(213) VICILICIAL Peducince	
	<220>	
	<223> HLA-B PCR probe M2, exon 3, location 216-235	
	<400> 124	
acttac	ccgag agaacctgcg	20

	<210> 1 <211> 2		
	<212> D	ANG	
		artificial Sequence	
	<220>		
	<223> H	MLA-B PCR probe M3, exon 3, location 216-235	
	<400> 1		
acttac	cgag ag	gageetgeg 2	0 2
	<210> 1		
	<211> 2		
	<212> D	artificial Sequence	
	(213) N	artificial bequence	
	<220>		
	<223> H	NLA-B PCR probe M4, exon 3, location 216-235	
	<400> 1		20
actgac	cgag ag	ggacctgcg	. 0
	<210> 1	27	
	<211> 2		
	<212> D		
	<213> A	Artificial Sequence	
	<220>		
	<223> H	ILA-B PCR probe M5, exon 3, location 216-235	
	<400> 1	27	
			20
	-5-5 -5	,	
	<210> 1	128	
	<211> 2		
	<212> D		
	<213> A	Artificial Sequence	
	<220>		
		HLA-B PCR probe M6, exon 3, location 216-235	
	<400> 1		
actgac	cgag tg	gageetgeg 2	2 0
	.010 1		
	<210> 1 <211> 2		
	<211> 2		
		Artificial Sequence	
		•	
	<220>		
	<223> H	HLA-B PCR probe M7, exon 3, location 216-235	
	-400 3	120	
actoso	<400> 1		20
accyac	gug cg	ביייים -	-
	<210> 1	130	
	<211> 2		
	<212> D		
	<213> A	Artificial Sequence	

							-				
	<220> <223>	HLA-B	PCR ]	probe	М8,	exon	3,	location	216-23	5	
actgad	<400>		gcg								20 <sup>.</sup>
	<210>										
	<211>										
	<212>		ai al	Seane	ance						
	<213 <i>&gt;</i>	Artifi	CIGI	seque							
	<220>	111 A D	. ממח	nrobo	NT T	ovon	2	location	221-25	0	
	<223>	HLA-B	PCR ]	probe	NΙ,	exon	з,	location	231-25	O	
	<400>							•			20
ctgcg	caccg c	geteeg	gcta								20
	<210>										
	<211>										
	<212>		1 - 1 - 1	Comi	222						
	<213>	Artifi	clai	seque	ence					•	
	<220>									_	
	<223>	HLA-B	PCR :	probe	N2,	exon	3,	location	231-25	0	
	<400>	132									
ctgcg	gatcg d	gctccg	gcta								20
	<210>	133									
	<211>										
	<212>	DNA Artifi	lai al	Comin	0200						
	<213>	ALCILI	lClai	seque	ence						
	<220>	HI.A - R	PCP ·	nrohe	N3	exon	3.	location	231-25	0	
	(2237	IIDA-D	FCR	probe	113,	CAOII	,	100001011		•	
	<400>										20
ctgcg	gaccc t	geteeg	gcta								20
	<210>										
	<211>										
		Artif	icial	Segue	ence						
		711 0111		Joqu	01100						
	<220>	UT.A_D	DCD	nrohe	NΔ	evon	3	location	231-25	50	
	<223>	нца-в	PCR	probe	114,	exon	, د	100001011	231 23	.0	•
	<400>		~a+ ^								20
ctgcg	gaacc t	egeteeg	geta								20
	<210>										
	<211><212>										
		DNA Artif:	icial	Sean	ence						
				_ = = 44							
	<220>	ם גזט	DCD	nrobo	ΝE	AV07	3	location	231-25	50	
	<223>	HUM-D	FCR	Prone	, CM	CAUII	, ر	100001011		-	
ataa=	<400>		rct a								20
cugcg	gaacc 1	Lacacad	gula								20

<21	0> 136	
<21	1> 20	
<21	2> DNA	
<21	3> Artificial Sequence	
<22		
<22	3> HLA-B PCR probe O1, exon 3, location 251-270	
	0> 136	_
ctacaacca	g agcgaggacg · 2	U
	0> 137	
	1> 20	
	2> DNA	
<21	3> Artificial Sequence	
<22		
<22	3> HLA-B PCR probe O2, exon 3, location 251-270	
- 1.0	0. 127	
	0> 137 g_aggaaggag	۵
ctacaacca	g agcgaggccg 2	Ŭ
-01	0> 138	
	1> 20	
	2> DNA	
<21	3> Artificial Sequence	
<22	0.5	
	3> two-step asymmetric PCR HLA-B Exon 2 3' primer	
<22	35 two-step asymmetric FCR max a axon 2 5 primer	
-40	0> 138	
	t ctggttgtag 2	0
cggccccgc		
<21	0> 139	
	1> 21	
	2> DNA	
	3> Artificial Sequence	
723	37 Michigan Bodumos	
<22	0>	
	3> PCR amplification HLA-B Exon 3 5' primer	
<40	0> 139	
acccggttt	c attttcagtt g	1
33		
<27	.0> 140	
<2	1> 18	
<2	.2> DNA	
<2	3> Artificial Sequence	
<22	.0>	
<22	3> PCR amplification HLA-B Exon 3 3' primer	
	00> 140	_
cccactgc	c ctggtacc 1	. 8
	.0> 141	
	.1> 15	
	2> DNA 2> Artificial Sequence	



<400> 141 tttttttt tttt

<220>

15